

# **CERTIFICATE OF ANALYSIS**

COA\*



#### **BEWIT Lavandin**

**Czech:** BEWIT Lavandin **Latin:** Lavandula hybrida

Batch number: AX2024/05





We have developed our own set of standards and protocols CTEO® – **CERTIFIED THERAPEUTIC ESSENTIAL OILS** to monitor, check and evaluate the quality of our essential oils. Our goal is to consistently offer our customers essential oils in the best and most beneficial quality.

## **Certificate of analysis disclaimer**

COA is a document published by BEWIT Natural Medicine, s.r.o., which contains both general and specific information about essential oils and other BEWIT products. The COA includes information from literary publications and other publicly available sources as well as selected sensometric analyses from BEWIT laboratories (BEWIT ESSENTIAL LABORATORIES), supplier analyses and, in some cases, tests from independent laboratories. The COA published for a given product may not always match the product batch on offer at BEWIT at the time and may not always describe all batches of the given product that may be on offer at the time.

#### **General information**

| Batch number          | AX2024/05                         |  |
|-----------------------|-----------------------------------|--|
| English               | BEWIT Lavandin                    |  |
| Czech                 | BEWIT Lavandin                    |  |
| Latin                 | Lavandula hybrida                 |  |
| Country of origin     | Spain                             |  |
| Part of a plant       | Whole plant                       |  |
| Method of acquisition | Steam distilled                   |  |
| Color                 | From yellow to pale yellow        |  |
| Odor                  | Characteristic, fresh, herbaceous |  |
| cas number            | 8022-15-9 / 93455-97-1            |  |
| Main components       | Linalool, Linalyl acetate         |  |
| Refractometric index  | 1,458-1,462                       |  |
| Density               | 0,891-0,899                       |  |
| Flash Point (°C)      | 74                                |  |
| Optical rotation      | -7° to -3°                        |  |

#### **General information**

#### **Components**

| COMPOUND                 | RELATIVE CONTENT (%) |  |  |
|--------------------------|----------------------|--|--|
| Linalool                 | 33,9                 |  |  |
| Linalyl acetate          | 30,2                 |  |  |
| Camphor                  | 8                    |  |  |
| 1,8-cineole (Eucalyptol) | 6,3                  |  |  |
| Terpinen-4-ol            | 3,8                  |  |  |
| Borneol                  | 3                    |  |  |
| Lavandulyl acetate       | 2,4                  |  |  |
| β-caryophyllene          | 1,7                  |  |  |
| D-limonene               | 1,5                  |  |  |
| Cinnamyl acetate         | 1,2                  |  |  |
| α-terpineol              | 0,9                  |  |  |
| Benzyl acetate           | 0,7                  |  |  |
| α-pinene                 | 0,6                  |  |  |
| β-myrcene                | 0,6                  |  |  |
| Germacrene D             | 0,5                  |  |  |
| Camphene                 | 0,4                  |  |  |
| β-pinene                 | 0,4                  |  |  |
| Geranyl acetate          | 0,4                  |  |  |
| α-thujene                | 0,2                  |  |  |
| Benzaldehyde             | 0,2                  |  |  |
| para-cymene              | 0,2                  |  |  |
| trans-β-ocimene          | 0,2                  |  |  |

| Terpinolene   | 0,2 |
|---------------|-----|
| Fenchone      | 0,2 |
| Neryl acetate | 0,2 |
| δ-cadinene    | 0,2 |

## List of cosmetic allergens

| Allergen INCI name   | CAS number | %    |
|--|------------|------|
| Amyl cinnamal  | 122-40-7   |      |
| Amylcinnamyl alcohol   | 101-85-9   |      |
| Benzyl alcohol   | 100-512-6  |      |
| Benzyl salicylate  | 118-58-1   |      |
| Cinnamyl alcohol   | 104-54-1   |      |
| Cinnamal   | 104-55-2   |      |
| Citral   | 5392-40-5  |      |
| Coumarin   | 91-64-5    |      |
| Eugenol  | 97-53-0    |      |
| Geraniol   | 106-24-1   |      |
| Hydroxycitronellal   | 07-75-5    |      |
| Hydroxymethylpenthyl-cyclohexenecarboxaldehyde               | 31906-04-4 |      |
| Isoeugenol   | 97-54-1    |      |
| Anisyl alcohol   | 105-13-5   |      |
| Benzyl benzoate  | 120-51-4   |      |
| Benzyl cinnamate   | 103-41-3   |      |
| Citronellol  | 106-22-9   |      |
| Farnesol   | 4602-84-0  |      |
| Hexyl cinnamaldehyde   | 101-86-0   |      |
| D-limonene   | 5989-27-5  | 1,5  |
| Linalool   | 78-70-6    | 33,9 |
| Methyl heptine carbonate                                     | 111-12-6   |      |
| 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one | 127-51-5   |      |
| Oak moss   | 90028-68-5 |      |
| Tree moss  | 90028-67-4 |      |

## Independent tests and studies

TISSERAND, Robert a Rodney YOUNG. Essential oil safety: a guide for health care professionals. Second edition. Edinburgh: Elsevier, 2013. ISBN 9780443062414.