

中国认可
检测
TESTING
CNAS L3788

Analytical Report

Sample Code 502-2025-00219667
Certificate No. AR-26-SU-000437-01-EN



Applicant: Zhejiang Fangge Pharmaceutical Industry Co., Ltd.
Address: No.98 Xingguang Road, Songyuan Town, Qingyuan
Country, Lishui, Zhejiang

Sample Code:	502-2025-00219667	Created On:	02-Jan-2026
Client Sample Code:	251223	Reviewed On:	02-Jan-2026
Sample Name:	Organic Pleurotus ostreatus powder	Approved On:	03-Jan-2026
Sample Packaging:	Sealed aluminum foil bag		
Analysis Type:	Consignment Testing		
Sample Reception Date:	30-Dec-2025		
Analysis Starting Date:	30-Dec-2025		
Analysis Ending Date:	02-Jan-2026		
Arrival Temperature(°C)	20.2	Sample Volume	470g
Sample Condition	Powder	Sample Arrival Condition	Well-packed
Sample Acquisition Method	Sample Delivery		

	Results	Unit	LOQ	LOD
# SUSW8	Pesticide Screening(GC-MS/MS) Method: BS EN 15662:2018 Accreditation: DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788			
Screened pesticides	<LOQ	mg/kg	/	/
# SUSQ0	Pesticide Screening LC-MS/MS Method: BS EN 15662:2018 Accreditation: DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788			
Screened pesticides	<LOQ	mg/kg	/	/
# SUSQ1	Pesticide Screening LC-MS/MS Method: BS EN 15662:2018 Accreditation: DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788			
Screened pesticides	<LOQ	mg/kg	/	/
# SUSQ2	Pesticide Screening LC-MS/MS Method: BS EN 15662:2018 Accreditation: DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788			
Screened pesticides	<LOQ	mg/kg	/	/

List of screened molecules

SUSQ0	Pesticide Screening LC-MS/MS (50 parameters)(LOQ* mg/kg)					
2,2'-Methylenebis (3,4,6-trichlorophenol) (0.01)	△ Acifluorfen (0.01)	△ Acrinathrin (0.01)	△ Asulam (0.05)	△ Azimsulfuron (0.01)	△ Bensulfuron methyl (0.01)	
△ Bentazone (0.01)	△ Bromacil (0.01)	△ Bromoxynil (0.01)	△ Chlorflazuron (0.01)	△ Chlorpropham (0.01)	△ Clothianidin (0.01)	
△ Diflubenzuron (0.01)	△ Dinocap (sum of dinocap isomers and their correspo (0.01)	△ Diuron (0.01)	△ Fipronil (0.01)	△ Fipronil (sum) ()	△ Fipronil, desulfinyl- (0.01)	
△ Fipronil-sulfide (0.01)	△ Fipronil-sulfone (0.01)	△ Fluazinam (0.01)	△ Fludioxonil (0.01)	△ Flusulfamide (0.01)	△ Flutolanil (0.01)	
△ Fomesafen (0.01)	△ Forchlorfenuron (0.01)	△ Hexaflumuron (0.01)	△ Imibenconazole (0.01)	△ Ioxynil (sum of ioxynil and its salts, expressed a (0.01)	△ Isotianil (0.02)	
△ Lufenuron (0.01)	△ Metamitron (0.01)	△ Methoxyfenozide (0.01)	△ Nicosulfuron (0.01)	△ Novaluron (0.01)	△ Primisulfuron-methyl (0.01)	
△ Propoxycarbazone (0.05)	△ Prosulfuron (0.01)	△ Sedaxane (0.01)	△ Tebufenozide (0.01)	△ Teflubenzuron (0.01)	△ Tepaloxymid (0.01)	
△ Terbacil (0.01)	△ Tralkoxydim (0.01)	△ Triadimefon (0.01)	△ Triasulfuron (0.01)	△ Triasulfuron methyl (0.01)	△ Tribenuron-methyl (0.01)	
△ Trifloxysulfuron (0.01)	△ Triflumuron (0.01)					
SUSQ1	Pesticide Screening LC-MS/MS (296 parameters)(LOQ* mg/kg)					
△ 2,4'-Formoxylidid (Amitraz Metabolite) (0.01)	△ 3-Hydroxycarbofuran (0.01)	△ Abamectin (Sum) ()	△ Acephate (0.05)	△ Acetamidrid (0.01)	△ Acibenzolar-s-methyl (0.01)	
△ Alachlor (0.05)	△ Aldicarb (0.05)	△ Aldicarb (sum) ()	△ Aldicarb-sulfone (0.01)	△ Aldicarb-sulfoxide (0.05)	△ Ametoctradin (0.01)	
△ Aminocarb (0.01)	△ Amitraz (0.01)	△ Amitraz (sum) ()	△ Avermectin B1a (0.01)	△ Avermectin B1b (0.01)	△ Azaconazole (0.01)	

Eurofins Technology Service (Suzhou) Co., Ltd.
No.101 Jialingjiang Road SND, Suzhou,
Jiangsu Province, P.R. China

Phone +86 400 828 5088
www.eurofins.cn




Scan QR code to view report

Deutsche
Akkreditierungsstelle
D-PL-14292-01-00

△ Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-) (0.02)	△ Cypermethrin (sum of isomers) (0.05)	△ Cyphenothrin (0.02)	△ DDD, o,p'- (0.01)	△ DDD, p,p'- (0.01)	△ DDE, o,p'- (0.01)
△ DDE, p,p'- (0.01)	△ DDT (Sum) (0.05)	△ DDT, o,p'- (0.01)	△ DDT, p,p'- (0.01)	△ Deltamethrin (0.02)	△ Dichlobenil (0.01)
△ Dichlofenthion (0.01)	△ Dichlorfuanid (0.01)	△ Dichlorvos (0.02)	△ Dicloran (0.02)	△ Dicofof (sum) (0.01)	△ Dicofof, o,p'- (0.02)
△ Dicofof, p,p'- (0.02)	△ Dieldrin (0.02)	△ Dieldrin (Sum) (0.01)	△ Dienochlor (0.05)	△ Dinobuton (0.05)	△ Dioxabenzofos (0.01)
△ Dioxathion (0.02)	△ Diphenylamine (0.01)	△ Edifenphos (0.01)	△ Endosulfan (Sum) (0.01)	△ Endosulfan sulphate (0.01)	△ Endosulfan, alpha- (0.02)
△ Endosulfan, beta- (0.01)	△ Endrin (0.01)	△ EPN (0.01)	△ Ethalfuralin (0.01)	△ Ethion (0.01)	△ Etridiazole (0.01)
△ Etrinfos (0.01)	△ Famoxadone (0.02)	△ Fenamiphos (0.05)	△ Fenchlorphos (0.01)	△ Fenchlorphos (sum) (0.01)	△ Fenchlorphos oxon (0.01)
△ Fenfluthrin (0.02)	△ Fenitrothion (0.01)	△ Fenpropathrin (0.01)	△ Fenson (0.01)	△ Fenvalerate & Esfenvalerate (Sum of RR&SS Isomers) (0.01)	△ Fenvalerate & Esfenvalerate (Sum of RS&SR Isomers) (0.01)
△ Fenvalerate & Esfenvalerate (sum of RR,SS,RS,SR) (0.01)	△ Fluchloralin (0.01)	△ Flucythrinate (0.02)	△ Flumetralin (0.02)	△ Flumioxazin (0.02)	△ Fluotrimazole (0.01)
△ Fluquinconazole (0.01)	△ Fluvinate-tau (0.02)	△ Folpet (0.05)	△ Folpet/PI (Sum calculated as Folpet) (0.01)	△ Fonofos (0.01)	△ Formothion (0.01)
△ Halfenprox (0.01)	△ HCH, alpha- (0.01)	△ HCH, beta- (0.01)	△ HCH, delta- (0.01)	△ HCH, epsilon- (0.01)	△ Heptachlor (0.01)
△ Heptachlor (sum) (0.01)	△ Heptachlor epoxide, cis- (0.01)	△ Heptachlor epoxide, trans- (0.01)	△ Heptenophos (0.01)	△ Hexachlorobenzene (HCB) (0.01)	△ Iodofenphos (0.01)
△ Iprobenfos (0.01)	△ Isazofos (0.01)	△ Isocarbophos (0.02)	△ Isodrin (0.01)	△ Isufenphos (0.01)	△ Isufenphos-methyl (0.01)
△ Isoprothiolane (0.01)	△ Kresoxim-methyl (0.01)	△ Landrin (0.02)	△ Lindane (gamma-HCH) (0.01)	△ Malaoxon (0.05)	△ Malathion (Sum) (0.01)
△ Mecarbam (0.02)	△ Mepronil (0.01)	△ Methacrifos (0.01)	△ Methidathion (0.02)	△ Methoxychlor (0.02)	△ Methyl-pentachlorophenylsulfide (0.01)
△ Metribuzin (0.02)	△ Mevinphos (0.02)	△ Mirex (0.01)	△ N-Desethyl-pirimiphos-methyl (0.01)	△ Nitrapyrin (0.01)	△ Nitrofen (0.01)
△ Nitrothal-isopropyl (0.01)	△ Octachlorodipropyl ether (S-421) (0.02)	△ Ofurace (0.02)	△ Oxadiazon (0.01)	△ Oxychlordane (0.01)	△ Oxyfluorfen (0.01)
△ Paclobutrazol (0.01)	△ Parathion (0.01)	△ Parathion-methyl (0.01)	△ Parathion-methyl (Sum) (0.01)	△ PCB 101 (0.01)	△ PCB 118 (0.01)
△ PCB 138 (0.01)	△ PCB 153 (0.01)	△ PCB 180 (0.01)	△ PCB 28 (0.01)	△ PCB 52 (0.01)	△ Pentachloroaniline (0.01)
△ Pentachloroanisole (0.01)	△ Pentachlorobenzene (0.01)	△ Permethrin (sum of isomers) (0.02)	△ Phenkapton (0.05)	△ Phenothrin (phenothrin including other mixtures of (0.02)	△ Phenthoate (0.02)
△ Phorate (0.02)	△ Phosphamidon (0.02)	△ Phthalimide (PI) (0.05)	△ Picoxystrobin (0.01)	△ Piperophos (0.01)	△ Pirimiphos-ethyl (0.01)
△ Procyimidone (0.01)	△ Profenofos (0.01)	△ Profluralin (0.01)	△ Prometyn (0.01)	△ Propanil (0.02)	△ Propazine (0.01)
△ Prothiofos (0.01)	△ Pyrazophos (0.01)	△ Pyridalyl (0.01)	△ Pyridaphenthion (0.01)	△ Pyrifexox (0.01)	△ Quinalphos (0.01)
△ Quintozene (0.01)	△ Quinalphos (Sum) (0.01)	△ Quazalofop-P-ethyl (0.01)	△ Silafuofen (0.01)	△ Silthiofam (0.01)	△ Tebufenpyrad (0.01)
△ Tecnazene (0.01)	△ Tefluthrin (0.01)	△ Terbufos (0.01)	△ Tetrachlorvinphos (0.01)	△ Tetradifon (0.01)	△ Tetrahydropthalimide (THPI) (0.05)
△ Tetramethrin (0.01)	△ Tetrasul (0.01)	△ Tolyfluanid (0.01)	△ Tri-allate (0.01)	△ Triazamate (0.01)	△ Triazophos (0.01)
△ Trichloronat (0.01)	△ Trifluralin (0.01)	△ Triticonazole (0.02)	△ Uniconazole (0.01)	△ Vinclozolin (0.01)	


Created By:



Reviewed By:



Approved By:



陈奎/Leo Chen

Authorized Signatory

EXPLANATORY NOTE

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Suzhou) Co., Ltd

END OF REPORT

Eurofins Technology Service (Suzhou) Co., Ltd.

No.101 Jialingjiang Road SND, Suzhou,

Jiangsu Province, P.R. China

Phone +86 400 828 5088

www.eurofins.cn



Scan QR code to view report



中国认可
检测
TESTING
CNAS L3788

检测报告

实验室样品编号 502-2025-00219667
报告编号 AR-26-SU-000437-01-ZH



委托单位： 浙江方格药业有限公司
委托单位地址： 浙江省丽水市庆元县松原镇星光路98号

样品编号： 502-2025-00219667
客户样品编号： 251223
样品名称： 有机平菇粉
样品包装： 密封铝箔袋
检测类型： 委托检测
样品接收日期： 2025年12月30日 编制日期： 2026年01月02日
检测开始日期： 2025年12月30日 审核日期： 2026年01月02日
检测结束日期： 2026年01月02日 签发日期： 2026年01月03日
接收时样品温度(°C) 20.2 样品量 470g
样品类型 粉末 样品到样状态 包装完好
样品获取方式 送样

	结果	单位	定量限	检出限
# SUSW8 农残扫描 GC-MS/MS 方法：BS EN 15662:2018 认可信息：DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788 所有扫描的农药	<LOQ	mg/kg	/	/
# SUSQ0 LC-MS/MS农残多参数扫描 方法：BS EN 15662:2018 认可信息：DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788 所有扫描的农药	<LOQ	mg/kg	/	/
# SUSQ1 LC-MS/MS农残多参数扫描 方法：BS EN 15662:2018 认可信息：DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788 所有扫描的农药	<LOQ	mg/kg	/	/
# SUSQ2 LC-MS/MS农残多参数扫描 方法：BS EN 15662:2018 认可信息：DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788 所有扫描的农药	<LOQ	mg/kg	/	/

完整的参数列表

SUSQ0 LC-MS/MS农残多参数扫描 (50项)(LOQ* mg/kg)

△ 三唑酮 (0.01)	△ 三氟吡啶隆 (0.01)	△ 三氟羧草醚 (0.01)	△ 三甲苯草酮 (0.01)	△ 丙苯磺隆 (0.05)	△ 亚胺唑 (0.01)
△ 吡嗪草酮 (0.01)	△ 咯菌腈 (0.01)	△ 噻虫胺 (0.01)	△ 四唑嘧磺隆 (0.01)	△ 异噻菌胺 (0.02)	△ 敌草隆 (0.01)
△ 敌螨普 (0.01)	△ 杀铃脲 (0.01)	△ 毒菌酚 (0.01)	△ 氟丙菊酯 (0.01)	△ 氟唑环菌胺 (0.01)	△ 氟啶胺 (0.01)
△ 氟啶脲 (0.01)	△ 氟甲脲 (0.01)	△ 氟噻草草醚 (0.01)	△ 氟噻隆 (0.01)	△ 氟胺磺隆 (0.01)	△ 氟苯胺 (0.01)
△ 氟虫脲 (0.01)	△ 氟虫脲总量 (0.01)	△ 氟虫脲亚砷 (氟虫脲硫醚) (0.01)	△ 氟虫脲砷 (0.01)	△ 氟酰胺 (0.01)	△ 氟酰胺 (0.01)
△ 氟铃脲 (0.01)	△ 氟吡脲 (0.01)	△ 氟苯胺 (0.01)	△ 溴苯脲 (0.01)	△ 灭草松 (0.01)	△ 烟嘧磺隆 (0.01)
△ 特草定 (0.01)	△ 甲基磺草隆 (0.01)	△ 甲氧虫酰肼 (0.01)	△ 碘苯脲 (0.01)	△ 磺草灵 (0.05)	△ 磺菌胺 (氟磺灭) (0.01)
△ 吡啶磺隆 (0.01)	△ 苯噻草酮 (苯噻草酮) (0.01)	△ 苯磺隆 (0.01)	△ 虫酰肼 (0.01)	△ 虱螨脲 (0.01)	△ 噻苯磺隆 (0.01)
△ 除草定 (0.01)	△ 除虫脲 (0.01)				

SUSQ1 LC-MS/MS农残多参数扫描 (296项)(LOQ* mg/kg)

△ 焦磷酸四乙酯(特替) (0.01)	△ 3,4,5-混杀威 (0.01)	△ 3-羟基克百威 (0.01)	△ N-(2,4-二甲基苯基)甲酰胺 (0.01)	△ 丁硫克百威 (0.01)	△ 丁苯吗啉 (0.01)
△ 丁草特/敌 (0.05)	△ 丁腈威 (0.05)	△ 丁腈威亚砷 (0.01)	△ 丁腈威砷 (0.01)	△ 丁腈威(杀螨隆) (0.05)	△ 三唑醇 (0.01)
△ 三环唑 (0.01)	△ 丙环唑 (0.01)	△ 丙硫克百威 (0.01)	△ 丙虫磷 (0.01)	△ 丰索磷 (0.01)	△ 丰索磷砷 (0.01)
△ 久效威亚砷 (0.05)	△ 久效威砷 (0.01)	△ 久效磷 (0.01)	△ 乐果 (0.01)	△ 乙啶酚 (0.01)	△ 乙啶酚磺酸酯 (0.01)
△ 乙拌磷 (0.05)	△ 乙拌磷(总量) (0.01)	△ 乙拌磷砷 (0.01)	△ 乙氧磺隆(乙氧磺隆) (0.01)	△ 乙氧菊酯 (0.05)	△ 乙环唑 (0.05)
△ 乙硫草威 (0.01)	△ 乙硫草威(总和) (0.01)	△ 乙硫草威亚砷 (0.01)	△ 乙硫草威砷 (0.01)	△ 乙虫脲(乙虫脲) (0.01)	△ 乙硫甲胺磷 (0.05)
△ 乙霉威 (0.01)	△ 二嗪磷 (0.01)	△ 二嗪磷 (0.01)	△ 二溴磷 (0.05)	△ 二甲吩草胺 (0.01)	△ 二甲威 (0.05)
△ 二甲戊灵 (0.01)	△ 二甲草胺 (0.01)	△ 亚砷磷 (0.02)	△ 亚砷磷(总量) (0.01)	△ 亚砷磷砷 (0.01)	△ 仲丁威 (0.01)
△ 伏杀硫磷 (0.01)	△ 伏草隆 (0.05)	△ 依杀螨(乙噻唑) (0.05)	△ 保棉磷 (0.05)	△ 倍硫磷 (0.01)	△ 倍硫磷 (总量) (0.01)
△ 倍硫磷亚砷 (0.01)	△ 倍硫磷亚砷 (0.01)	△ 倍硫磷砷 (0.01)	△ 倍硫磷砷 (0.01)	△ 倍硫磷砷 (0.01)	△ 克百威 (0.01)

欧陆分析技术服务(苏州)有限公司
江苏省苏州市高新区嘉陵江路101号

电话 +86 400 828 5088
www.eurofins.cn






扫描二维码查阅报告

DAKKS
Deutsche
Akkreditierungsstelle
D-PL-14292-01-00



△ 苯腈磷 (0.01)	△ 苯草醚 (0.05)	△ 苯醚菊酯 (0.02)	△ 莠去津 (0.01)	△ 莠灭净 (0.01)	△ 萎锈灵 (0.02)
△ 萘酚 (0.01)	△ 蔬果磷 (0.01)	△ 虫螨畏 (0.01)	△ 速灭磷 (0.02)	△ 邻苯二甲酰亚胺 (0.05)	△ 邻苯基苯酚 (0.01)
△ 酞菌酯 (0.01)	△ 醚菌酯(亚胺酯) (0.01)	△ 野麦畏 (0.01)	△ 除线磷 (0.01)	△ 除草醚 (0.01)	△ 除螨酯(芬螨酯) (0.01)
顺式环氧七氟 (0.01)	△ 马拉氧磷 (0.05)	△ 马拉硫磷 总量 ()			

编制：  审核：  批准： 
陈奎/Leo Chen
授权签字人

注释
未检出表示结果小于检出限
LOQ: 定量限
<LOQ: 小于定量限
N/A 表示不适用
总量结果由分量组分的定量值计算得出
报告上如未体现不确定度是基于方法已经包含了测量不确定度或客户明确不要求。
样品名称和样品信息由客户提供及确认，本公司不负责证实客户提供的信息的准确性、关联性、适当性和（或）完整性。
本报告结果仅对受检样品负责。
未经本公司事先书面许可，客户和任何第三人不得节选或删改本报告。使用人应完整使用本报告。
结果仅供客户内部使用，不作为具有证明作用的数据对外公开。未经我公司书面批准，不得擅自使用检测结果及证书进行不当宣传。
本报告适用于欧陆分析服务通用条款
谨代表 欧陆分析技术服务（苏州）有限公司

△在CNAS认可范围内 #在DAkkS认可范围内 □在CMA认可范围内
带☆的检测项目是分包给欧陆分析集团内的实验室检测
带®的检测项目是分包给欧陆分析集团外的实验室检测

报告结束

欧陆分析技术服务（苏州）有限公司
江苏省苏州市高新区嘉陵江路101号

电话 +86 400 828 5088
www.eurofins.cn



扫描二维码查阅报告



有限公司 017101