

CERTIFICATE OF ANALYSIS

COA*



BEWIT Thyme (Chemotype Borneol)

Czech: BEWIT Tymián borneol

Latin: Thymus vulgaris

Batch number: AX2023/06





We have developed our own set of standards and protocols CTEO® – **CERTIFIED THERAPEUTIC ESSENTIAL OILS** to monitor, check and evaluate the quality of our essential oils. Our goal is to consistently offer our customers essential oils in the best and most beneficial quality.

Certificate of analysis disclaimer

COA is a document published by BEWIT Natural Medicine, s.r.o., which contains both general and specific information about essential oils and other BEWIT products. The COA includes information from literary publications and other publicly available sources as well as selected sensometric analyses from BEWIT laboratories (BEWIT ESSENTIAL LABORATORIES), supplier analyses and, in some cases, tests from independent laboratories. The COA published for a given product may not always match the product batch on offer at BEWIT at the time and may not always describe all batches of the given product that may be on offer at the time.



General information

| Batch number | AX2023/06 | |
|-----------------------|---------------------------------|--|
| English | BEWIT Thyme (Chemotype Borneol) | |
| Czech | BEWIT Tymián borneol | |
| Latin | Thymus vulgaris | |
| Country of origin | Morocco | |
| Part of a plant | Leaves | |
| Method of acquisition | Steam distilled | |
| Color | Light yellow | |
| Odor | Characteristic | |
| cas number | 8007-46-3 | |
| Main components | Borneol | |
| Refractometric index | | |
| Boiling point (°C) | 178 | |
| Flash point (°C) | 65 | |
| Density (g/cm3) | 0,900-0,950 | |

General information

Components

| COMPOUND | RELATIVE CONTENT (%) | | |
|-----------------------------|----------------------|--|--|
| Borneol | 23,9 | | |
| Camphene | 11,0 | | |
| Linalool | 8,4 | | |
| α-pinene | 6,3 | | |
| Carvacrol | 5,8 | | |
| α-terpineol | 4,7 | | |
| β-caryophyllene | 4,4 | | |
| para Cymene | 3,6 | | |
| y-terpinene | 2,8 | | |
| (E)-Anethole | 1,7 | | |
| Terpinen-4-ol | 1,6 | | |
| Camphor | 1,5 | | |
| β-pinene | 1,2 | | |
| Citronellol | 1,2 | | |
| Linalyl acetate | 1,2 | | |
| α-thujene | 1,0 | | |
| D-limonene | 0,9 | | |
| Thymol | 0,9 | | |
| β-myrcene | 0,6 | | |
| a-terpinene | 0,6 | | |
| Fenchone | 0,4 | | |
| Estragole (Methyl chavicol) | 0,4 | | |

| Neral | 0,4 |
|--------------------------|-----|
| Eugenyl acetate | 0,4 |
| Terpinolene | 0,3 |
| Cinnamyl alcohol | 0,3 |
| 1,8 Cineole (Eucalyptol) | 0,2 |
| Nerol | 0,2 |
| Cinnamyl acetate | 0,2 |
| Farnesol | 0,2 |

List of cosmetic allergens

| Allergen INCI name | CAS number | % |
|--|------------|-----|
| Amyl cinnamal | 122-40-7 | |
| Amylcinnamyl alcohol | 101-85-9 | |
| Benzyl alcohol | 100-512-6 | |
| Benzyl salicylate | 118-58-1 | |
| Cinnamyl alcohol | 104-54-1 | 0,3 |
| Cinnamal | 104-55-2 | |
| Citral | 5392-40-5 | 0,5 |
| Coumarin | 91-64-5 | |
| Eugenol | 97-53-0 | |
| Geraniol | 106-24-1 | |
| Hydroxycitronellal | 07-75-5 | |
| Hydroxymethylpenthyl-cyclohexenecarboxaldehyde | 31906-04-4 | |
| Isoeugenol | 97-54-1 | 0,1 |
| Anisyl alcohol | 105-13-5 | |
| Benzyl benzoate | 120-51-4 | |
| Benzyl cinnamate | 103-41-3 | |
| Citronellol | 106-22-9 | 1,2 |
| Farnesol | 4602-84-0 | 0,2 |
| Hexyl cinnamaldehyde | 101-86-0 | |
| D-limonene | 5989-27-5 | 0,9 |
| Linalool | 78-70-6 | 8,4 |
| Methyl heptine carbonate | 111-12-6 | |
| 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one | 127-51-5 | |
| Oak moss | 90028-68-5 | |
| Tree moss | 90028-67-4 | |

Independent tests and studies

TISSERAND, Robert a Rodney YOUNG. Essential oil safety: a guide for health care professionals. Second edition. Edinburgh: Elsevier, 2013. ISBN 9780443062414.



Certificate

Food grade

According to

BEWIT Internal Directive No. 4/2022

Use of essential oils in food.



We confirm that the product is 100% pure, natural, without synthetic additives and suitable for food.

Legislative:

- · Czech Regulation 398/2016,
- European Regulation (EC) No. 1334/2008
 - US FDA GRAS
- · Literature: Essential oil safety Robert Tisserand, Rodney Young.

Caution, recommended usage:

Just dip the tip of the toothpick in essential oil and stir it in 20 ml of vegetable oil (e.g. sunflower oil).

A few drops of the prepared mixture, season the finished dish.